

No one does it  
like *you*

Canon

---

# TX SERIES PRINTERS WITH SCANNER ENGINEERED TO HELP YOUR BUSINESS THRIVE

The new standard in printing,  
scanning and sharing.

---



**TX-MFP**

\*Shown with optional Multifunction roll system.



## NEW ENHANCEMENTS TO SmartWorks

- Easy-to-use interface with customisable presets
- Scan to Multipage PDF – standard feature
- Ability to mark-up documents directly on the monitor
- Image enhancements include de-skew, white point, black point, sharpen, mirror, invert

## TX-2000/TX-3000/TX-4000 LARGE-FORMAT PRINTERS

- Choice of 24", 36" or 44" large-format printers
- Print up to 2.6 A1-sized documents per minute\*
- Optional Multifunction Roll System
- High capacity ink tanks (700ml, 330ml, and 160ml ink tanks available)

## NEW T25/T36 SCANNER

- T25/36-inch scanner sits on top of printer for easy access
- Scan up to 13ips (330.2mm) in black and white and 6 ips (152.4mm) in colour
- 15.6" Large LCD Touch Screen
- Integrated design for a smaller footprint



\*Shown with optional Multifunction Roll System

# T25/T36 SCANNER SPECIFICATIONS

## SCAN SPEED\*

Monochrome: 13" (330.2mm) per second  
@ 200 dpi & 8-bit Grayscale  
Colour: 6" (152.4mm) per second  
@ 200 dpi & 24-bit Grayscale

## SCAN MODES

16.7-million Colour RGB (24-bit)  
256-level Grayscale (8-bit)  
Black and White (1-bit)

## COLOUR SPACE

sRGB

## MAXIMUM RESOLUTION

1200 dpi (optical)

## SCAN ACCURACY\*\*

+/- 0.1%; +/- 1 pixel

## MAXIMUM IMAGE WIDTH

**T25:** 635mm (25")  
**T36:** 914mm (36")

## MAXIMUM MEDIA WIDTH

**T25:** 686mm (27")  
**T36:** 965mm (38")

## MAXIMUM SCAN LENGTH

8m (JPEG/PDF), 15.2m (TIFF)

## MAXIMUM MEDIA THICKNESS

2mm (0.079")

## MEDIA FEED SYSTEM

Adaptive CIS media focus management and media guide mechanism; intuitive face-up, front-loading, and front/rear-exit media path; automatic media size detection with optical media sensors

## DIGITAL IMAGING TECHNOLOGY

Contact Image Sensor (CIS) Technology (SingleSensor Assembly)  
48-bit RGB digital colour image capture  
16-bit grayscale image capture  
Panchromatic monochrome and black and white  
Bi-directional extra long-life LED light system for optimum object illumination and instant-on scanning capability

## DIGITAL IMAGE PROCESSING

2D Intelligent Adaptive Thresholding (IAT) (1-bit mode)  
Fixed Threshold Black and White (1-bit mode)  
Dynamic Normalisation Application (DNA) with 16-bit Super Sampling

## USER STATUS AND ONE-TOUCH OPERATION

Right-side mounted AIO PC; walk-up operation and user selection of stop, forward and rewind, scan, copy, or copy and archive

## INCLUDED SOFTWARE

SmartWorks MFP Scan-to-Copy/File/Email with Real-time Image Viewer. Supports TIFF, JPEG, TIFF G4, and PDF

## OPERATING SYSTEM

Windows 10 Enterprise LTSB (x64)

## USER MAINTENANCE

Installable Plug-and-Play Scanner; Simple Cleaning

## SCANNER INTERFACE

Superspeed USB 3.0

## OPERATING ENVIRONMENTS

15–30°C, 10–80% RH, Non-condensing

## EXTERNAL POWER SUPPLY

100–240 VAC Autosensing +/- 10%, 50-60Hz

## SCANNER POWER CONSUMPTION

53 Wh (scanning) 5 Wh (stand-by)  
**T25:** Standby 10.73W, Sleep Mode 0.52W  
**T36:** Standby 13.42W, Sleep Mode 0.92W

## SCANNER DIMENSIONS (W x D x H)

**T25:** 830mm x 324mm x 153mm  
**T36:** 1109mm x 324mm x 153mm

## SCANNER WEIGHT

**T25:** 11kg  
**T36:** 15kg

## TX-MFP SCANNER OPTIONS

**TX-2000MFP:** TX-2000 printer with T25 scanner  
**TX-3000MFP:** TX-3000 printer with T36 scanner  
**TX-4000MFP:** TX-4000 printer with T36 scanner

## WHAT'S IN THE BOX?

T25 or T36 scanner  
Stand assembly  
2 paper edge guides  
Document return guides (1 for T25, 3 for T36)  
Calibration target  
USB stick with SmartWorks MFP software and PDF documentation: T25 / T36 Scanner User Manual and Quick Start Guide.  
T25 / T36 Scanner Quick Start Guide.  
USB3 cable (2m)  
Power Supply  
15.6" All-In-One (AIO) PC  
Mains power cord(s) (2m)

\* The scan rate is proportional across the full range of resolutions supported by the scanner. Actual scan times will depend on the host system performance. Quoted top speeds may be limited by the effective bandwidth of the USB 2 and is not guaranteed for all media types.

\*\* The quoted scan accuracy may vary depending on the operating environment and the thickness of the media.

**Scanner Disclaimer:**  
Colortrac SmartLF scanner is manufactured by UK-based Global Scanning UK Ltd

Some images are simulated for clarity of reproduction. All data is based on Canon's standard testing methods. This leaflet and the specifications of the product have been developed prior to the date of product launch. Final specifications are subject to change without notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. Canon recommends you use Canon Media for the best results. Please check media (paper) compatibility list to see which variety of paper/media is recommended.

## For information and services contact

Canon Australia Pty Ltd 1800 444 199 [canon.com.au](http://canon.com.au)  
Canon New Zealand Ltd 0800 222 666 [canon.co.nz](http://canon.co.nz)



*No one does it  
like you*

**Canon**