HP Color LaserJet Pro MFP 4301fdw Printer



Colorful productivity. Seamless set up.

Get a blazing fast color printer and easy management tools with LaserJet Pro.



Maximum productivity in full color

- Support your business workteam with this compact, high-performing, color printer, ideal for up to 10 users.
- Step up your workflow with blazing fast speed to meet high-demand environments.
- Avoid interruptions with Wi-Fi® that intelligently looks for the most stable connection to stay on-line. ⁶ •
- Look professional on every page with high-quality printing, true-to-life colors and sharp details. ¹⁴ •

Seamless management ³

- Centralize your print management. HP Web Jetadmin easily adds and updates devices and solutions.³
- Set up your printers quickly so you can focus more on your business. Make it easy for your team to set up and get back to what matters.

HP Wolf Pro Security

- Get printer security out of the box. Preconfigured settings mean it's ready when you are.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Strengthen and simplify compliance. This upgrade applies your enterprise policies across the fleet. ⁷

Sustainable printing 4,12,13

- Redesigned Original HP TerraJet Cartridge for reduced plastic use and energy consumption when printing. ^{12,13}
- Trim your paper use. Default duplex setting prints on both sides of each page.
- Meet the industry standard for efficiency with Energy Star[®] rating.⁴
- Reduce your footprint. HP Auto-On/Auto-Off technology optimizes printer energy usage and costs. ⁵ •

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Highlights

- Fast print speed (33ppm A4)
- HP Wolf Pro security
- Automatic two-sided printing standard
- High monthly duty cycle (50,000 pages) •
- Dual-band WiFi®, Bluetooth® LE, WiFi® Direct
- 50 sheet ADF with single-pass, two-sided scanning

Product walkaround

HP Color LaserJet Pro MFP 4301fdw

- 1. Automatic 2-sided printing
- 2. Dual-band $\mathsf{WIFI}^{\circledast}$ with self heal, USB and Ethernet
- 3. HP Smart app for productivity in your hand
- 4. Designed for workteams of up to 10 users
- 5. Print speeds up to 35 ppm letter/33 ppm A4, 300-sheet standard paper capacity
- 6. 4.3-inch color touchscreen
- 7. Pre-configured security settings
- 8. Walk-up USB print and scan
- 9. More true-to-life colors with HP TerraJet Toner



Accessories, Supplies and Support

Supplies	W1020XC HP W1020XC High Yield Black Contract Original LaserJet Toner Cartridge (Average cartridge yields 10,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.) W2100A HP 210A Black Original LaserJet Toner Cartridge (~ 2,000 pages) W2100X HP 210X Black Original LaserJet Toner Cartridge (~ 7,500 pages) W2101A HP 210A Cyan Original LaserJet Toner Cartridge (~ 1,800 pages) W2101X HP 210X Cyan Original LaserJet Toner Cartridge (~ 1,800 pages) W2102A HP 210A Yellow Original LaserJet Toner Cartridge (~ 1,800 pages) W2102A HP 210A Yellow Original LaserJet Toner Cartridge (~ 1,800 pages) W2102A HP 210A Yellow Original LaserJet Toner Cartridge (~ 1,800 pages) W2102A HP 210A Yellow Original LaserJet Toner Cartridge (~ 1,800 pages) W2103A HP 210A Woriginal LaserJet Toner Cartridge (~ 5,500 pages) W2103A HP 210X Magenta Original LaserJet Toner Cartridge (~ 5,500 pages) W2103A HP 210X Magenta Original LaserJet Toner Cartridge (~ 5,500 pages) W2103X HP 210X Magenta Original LaserJet Toner Cartridge (~ 5,500 pages) W2103X HP 210X Magenta Original LaserJet Toner Cartridge (~ 5,500 pages) W2103X HP 210X Magenta Original LaserJet Toner Cartridge (~ 5,500 pages) W2103X HP 210X Magenta Original LaserJet Toner Cartridge (~ 5,500 pages) W2103X HP Valow Contract LaserJet Toner Cartridge (5,500 pages) W2151XC HP Vellow Contract LaserJet Toner Cartridge (5,500 pages) W2153XC HP Vall
Accessories Service and Support	28N93A HP Color Laser Jet Pro 550 Sheet Paper Tray U5120E HP 2 vear Next Business Day Onsite Service for Color Laser Jet Pro MFP 430x
σεινικέ από σαμμοτί	US 120E HP 2 year Next Business Day Oniste Service for Color Laser Jet Pro MFP 430x US 121E HP 3 year Next Business Day Onsite Service for Color Laser Jet Pro MFP 430x US 122E HP 4 year Next Business Day Onsite Service for Color Laser Jet Pro MFP 430x US 124E HP 2 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro MFP 430x US 124E HP 2 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro MFP 430x US 125E HP 3 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro MFP 430x US 125E HP 3 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro MFP 430x US 125E HP 4 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro MFP 430x US 127E HP 5 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro MFP 430x US 127E HP 5 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro MFP 430x US 127E HP 5 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro MFP 430x US 127E HP 5 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro MFP 430x US 127E HP 5 year 4 hour 9x5 Onsite Service for Color Laser Jet Pro MFP 430x US 127E HP 5 year Channel Parts Exchange Service for Color Laser Jet Pro MFP 430x US 127E HP 5 year Channel Parts Exchange Service for Color Laser Jet Pro MFP 430x US 127E HP 5 year Channel Parts Exchange Service for Color Laser Jet Pro MFP 430x US 127E HP 5 year Channel Parts Exchange Service for Color Laser Jet Pro MFP 430x US 127E HP 5 year Channel Parts Exchange Service for Color Laser Jet Pro MFP 430x US 127E HP 1 year Post Warranty Next Business Day Onsite Service for Color Laser Jet Pro MFP 430x US 127E HP 1 year Post Warranty Channel Parts Exchange Service for Color Laser Jet Pro MFP 430x US 127E HP 1 year Post Warranty Channel Parts Exchange Service for Color Laser Jet Pro MFP 430x US 127E HP 1 year Post Warranty Channel Parts Exchange Service for Color Laser Jet Pro MFP 430x US 127E HP 1 year Post Warranty Channel Parts Exchange Service for Color Laser Jet Pro MFP 430x US 127E HP 1 year Post Warranty Channel Parts Exchange Service for Color Laser Jet Pro MFP 430x US 127E HP 1 year Post Warranty Chan

Technical specifications

recinical specification	
Model	HP Color LaserJet Pro MFP 4301fdw Printer
Product number	4RA82F
Functions	Print, copy, scan, fax
Control panel	4.3° Capacitive touchscreen (all input functions)
Print	
Print technology	Laser
Print speed	Black (A4, normal): Up to 33 ppm Colour (A4, normal): Up to 33 ppm; Black (A4, duplex): Up to 29 ipm Colour (A4, duplex): Up to 29 ipm
First page out	Black (A4, ready): As fast as 9.5 sec Colour (A4, ready): As fast as 10.5 sec ; Black (A4, sleep): As fast as 10.2 sec Colour (A4, sleep): As fast as 10.5 sec
Print resolution	Black (best): Up to 600 x 600 dpi; Up to 38,400 x 600 enhanced dpi Colour (best): Up to 600 x 600 dpi; Technology. HP ImageREt 2400
Monthly duty cycle ⁷	Up to 50,000 pages A4; Recommended monthly page volume: 750 to 4,000
Printer smart software features	Automatic duplex, collation, watermarks, printable forms, quiet mode, HP premium print mode, accepts a variety of paper sizes and types
Standard print languages	HP PCL 6, HP PCL 5c, HP PCL 5c, HP Postscript level 3 emulation, PDF, URF, PWG Raster, Native Office
Fonts and typefaces	111 scalable TrueType fonts
Print area	Print margins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm, Maximum print area : 212 x 352 mm
Duplex printing	Automatic
Сору	
Copy speed	Black (M4): Up to 33 cpm; Colour (M4): Up to 33 cpm
Copier specifications	ID Copy, Number of copies; Resize (Including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Save Current Settings; Restore Factory Defaults; Quality (Draft/Standard/Best); Maximum number of copies; Up to 399 copies; Reduce/Enhance 25 to 400%
Scan	
Scan speed	Normal (A4): Up to 29 ppm, up to 26 ppm ;Duplex (A4): Up to 44 ipm (b&w), up to 35 ipm (color)
Scan file format	PDF; JPG; TIFF
Scanner specifications	Scanner type Flatbed, ADF; Scan technology. Contact Image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WIA; Twain version: Version 2.3; Duplex ADF scanning: Yes; Optical scan resolution: Up to 1200 dpi
Recommended monthly scan volume	Samming res, updat scan resolution: op to 7200 up/ 750 to 4000
Scannable area	7 Su to 4000 Maximum media size (flatbed): 216 x 297 mm; Minimum media size (ADF): 102 x 152 mm Maximum media size (ADF): 216 x 356 mm
Bit depth/ Grey scale levels	Pasaman media sze truckov, z 16 X 297 mm, piimman media sze vulzy, 102 X 152 mm Pasaman media sze vulzy, 2 16 X 356 mm 3 - bit / 256
Digital sending	Schult / 256 Standard: Scan to SharePoint; Scan to One Drive
Fax	
Fax	Yes, 33.6 kbps
Fax specifications	res, 33.6 x0µs Fax memory: Up to 500 pages; Fax resolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 100 numbers
Processor speed	Tourners of the solo pages for resolution standards to a ready, the optimizer of the cost in solo a solo and question readers and the resolution standards to a ready, the optimizer of the solo a solo and question readers and the resolution standards to a ready, the optimizer of the solo and the readers an
Connectivity	I LOO MAR
Standard	1 Gigabit Ethemet 10/100/1000 Base-TX network; 1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Wi-Fi 802.11ac (dual band); 1 Wi-Fi Direct; Walk-up USB; Auto-crossover Ethernet
Mobile printing capability	
Supported network protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, Apple AirPrint [™] , Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery, IP Config: IPv4 (DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, MTTP/HTTPS, Syslog
Network capabilities	Yes, via built-in 10/100/1000Base-Tx Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1x; 802.11ac (Wi-Fi 5)
Memory	Standard: 512 MB NAND Flash, 512 MB DRAM ; Maximum: 512 MB NAND Flash, 512 MB DRAM
Media handling	
Number of paper trays	Standard: 2 ;Maximum: 3
Media types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
Media size	Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm; ADP: Letter; Legal; A4; custom sizes 102 x 152 to 216 x 356 mm; Cuplex (all trays): 148 x 148 mm; Cuplex (all trays
Media handling	Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray
Media weight	60 to 163 g/m² (up to 176 g/m² postcards, up to 200 g/m² HP Color laser glossy photo papers)
Input capacity	Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled
Output capacity	Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets
Compatible operating systems	Windows 11; Windows 10; Windows 10; Windows 10; Windows 11; Window
Compatible network operating systems	SAP; Novell; UNIX; Citric, Linux; Windows Server
Minimum system requirements	Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;
	Mac. 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com;
Software included	No software solutions are included in the Box only on http://hp.com http://123.hp.com;
Printer management	HP Web JetAdmin Software, Security Manager, HP SNMP Proxy Agent (Part of HP WebJetAdmin), HP WS Pro Proxy Agent (Part of HP WebJetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration), Ultity – Driver, Deployment Utity – Nanaged Printing Administrator (Part of HP WebJetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration), Ultity – Driver, Deployment Utity – Nanaged Printing Administrator (Part of HP WebJetAdmin), Smart Printer Administrator (Part of HP WebJetAdmin), Smart Printer Administrator (Part of HP Smart Universal) (Part of HP Smart Universal), Smart Printer Administrator (Part of HP Smart Universal) (Part of HP Smart Universal), Smart Printer Administrator (Part of HP Smart Universal), Smart Printer Ad
Dimensions and weight	
Printer dimensions (W x D x H)	Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3)
Printer weight	-20.4kg
Operating environment	Temperature: 10 to 32.5°C Humidity: 30 to 70% RH (non-condensing)
Storage conditions	Temperature -20 to 40°C
Acoustics ⁶	Acoustic power emissions: 6.1 B(A) Acoustic pressure emissions: 50 dB(A)
	Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code
Power ⁵	identifier): Consumption: 585 watts (Active Printing), 18 watts (Ready), 0.8 watts (IPI auto-off/auto-on), 0.07 watts (auto-off/manual on), 0.07 watts (0ff);
	Typical Electricity Consumption (TEQ). 422 kWh/Week (Energy Star 3.0): 1.423 kWh/Week (Blue Angel); 0.422 kWh/Week (Energy Star 3.0); Power supply type: Internal (Built-in) power supply
Energy savings feature technology	HP Auto-On/Auto-Off Technology; Instant-on Technology
chergy savings realure technology	HP Auto-Un/Auto-Unt reciniciogy, Instant-on reciniciogy UL/CUL (US/Canada); RCM (Australia); TUV and GS Mark (Germany); Department of Industrial Standards of Cambodia; Bureau of Standards, Metrology and Inspection Ministry of Economic Affairs - BSMI (Taiwan); Certificate of China
	UCVC (Schalada), RCM Muschala, TCV and SS Mark (Seminally), Department of industrial standards of Caribodia, Bureau of Standards, Netrodogy and inSpectrum Ministry of Economic Analys. Department of industrial standards of Caribodia, Bureau of Indian Standards - BIS Registration (India); PSB (Singapore); Eastern European country approvals; CE Marking; Other Safety & EMC Certification approvals as required by individual countries.
	Electromagnetic emission standard: CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019,
Certifications	Bectromagnetic emission standard: CISPR 222:008 (International) Class B, CISPR 32:2015 (International) Class B + 1055032:2015 Class B + 111:2020, CISPR 35:2016 (International) / EN 550335:2017 + 111:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries. If ECO Declaration, EPEA1® Silver Canada, EPEA1®
Certifications	Electromagnetic emission standard: CISPR 222:008 (International) Class B, CISPR 32:2015 (International) Class B, CISPR 32:2017 + A11:2020, ENIEC 61000-3-2:2019, IF EX1000-3-2:2019, IF EX1000-3-3:2017 + A11:2020, ENIEC 61000-3-2:2019, IF EX1000-3-2:2019, IF EX100-3-2:2019, IF EX100-3-2:
Certifications	Electromagnetic emission standard: CISPR 222:008 (International) Class B, (CSPR 32:2015 (International) Class B, (CSPR 32:2015 (International) Class B, (CSPR 32:2015) (International) Class B, (CSPR 32:2015) (International) Class B, (CSPR 32:2015) (International) Class B, (CSPR 32:2017) + A11:2020, ENECG 1000-3-2:2019, ENE (CSPR 32:2017) + A11:2020, ENECG 1000-3-2:2019, ENE (CSPR 32:2017) + A11:2020,
	Electromagnetic emission standard: CISPR 222008 (International) (Lass B, CISPR 32:2015 (International) (Lass B, CISPR 32:2015) (International) (Lass B, CISPR 32:2015) (International) (Lass B, CISPR 32:2015) (Lass B, CISPR 32:2017) (Lass B, CISPR
Sustainable impact specifications	Electromagnetic emission standard: CISPR 222008 (International) (Lass B, CISPR 32:2015 (International) (Lass B, CISPR 32:2017 + A11:2020, ENIEC 61000-3-2:2019, ENIEC 60100-3-2:2019, ENIEC 60100-3:2019, ENIEC 60100-3:2019, ENIEC 60100-3-2:201-3:2
	Electromagnetic emission standard: CISPR 222008 (International) (Lass B, CISPR 32:2015 (International) (Lass B, CISPR 32:2015 (International) (Lass B, CISPR 32:2015) (International) (Lass B, CISPR 32:2015) (Lass B, CISPR 32:2017) (Lass B, CISPR 32:2016) (Lass B, CISPR 32:2016) (Lass B, CISPR 32:2017) (Lass B, CISPR 3
Sustainable impact specifications	Electromagnetic emission standard: CISPR 222008 (International) Class B, (DSPR 32-2015) (International) Class B, (DSPR 32-2015
Sustainable impact specifications Country of origin What's in the box ¹	Electromagnetic emission standard: CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B, CISPR 32:2016 (Interna
Sustainable impact specifications Country of origin	Electromagnetic emission standard: CISPR 222008 (International) Class B, (DSPR 32-2015) (International) Class B, (DSPR 32-2015

Footnotes

¹ Requires HP app download available at www.hp.com/go/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com.

- ² Requires use of Smart Admin Dashboard for printer setup and onboarding of users.
- ³ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- ⁴ HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See hp.com/ecosmart ⁵ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

In the only do on receiving and must be purchased separately. Wheteas operations are compatible with 2.4 GHz and 5.0 GHz and 2.0 GHz and 2.4 GHz using up to 112 non-overlapping channels vs. only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: www.hp.com/go/mobileprinting.

- ⁷ HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.
- ¹² Plastic reduction calculated per page based on cartridge weight in grams and stated yield in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJet/plasticreductions.
- ¹³ HP calculations based on Energy Star[®] normalized TEC data in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJet/energysaving.
- ¹⁴ Standard print mode for HP Color LaserJet Pro series with HP TerraJet technology compared to predecessors. See hp.com/TerraJet/colors.

Technical specifications disclaimers

¹ For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.

² Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield

³ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country. ⁴ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). Blue Angel TEC based on 230V test result; ENERGY STAR TEC data based on 115V test result.

- ⁵ Values based on 115V test results based on ES test method.
- ⁶ Configuration tested: base model, simplex printing, A4 paper at an average of 33 ppm.

⁷ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser Jet or HP Color Laser Jet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.



The product could differ from the images shown. © 2014 Hewlett-Packard Development Company, L.P. The Information contained herein is subject to change without notice. Warranties for HP products and services are set out in the express warranty statements accompanying such products and services. In addition, our products and services come with guarantees that cannot be excluded under the Australian Consumer Law. Subject to the foregoing, nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group. au-en September 2024

